

Table 1

Recommended taxonomic changes based on the results of the present study. Species listed in brackets were not included in this study (see main text for discussion).

Dickinson (2003)	Recommended taxonomy	Comment
<i>Alethe poliocephala</i>	<i>Pseudaethe poliocephala</i>	(1)
<i>Saxicoloides fulicatus</i>	<i>Copsychus fulicatus</i>	
<i>Trichixos pyrrhopygus</i>	<i>Copsychus pyrrhopygus</i>	
<i>Rhinomyias umbratilis</i>	<i>Cyornis umbratilis</i>	
<i>Rhinomyias olivaceus</i>	<i>Cyornis olivaceus</i>	
<i>Rhinomyias additus</i>	<i>Eumyias additus</i>	
<i>Rhinomyias insignis</i>	<i>Vauriella insignis</i>	
(<i>Rhinomyias goodfellowi</i>)	(<i>Vauriella goodfellowi</i>)	
(<i>Rhinomyias gularis</i>)	(<i>Vauriella gularis</i>)	
(<i>Rhinomyias albigularis</i>)	(<i>Vauriella albigularis</i>)	
<i>Ficedula monileger</i>	<i>Anthipes monileger</i>	(2)
<i>Luscinia brunnea</i>	<i>Larvivora brunnea</i>	
<i>Luscinia cyane</i>	<i>Larvivora cyane</i>	
(<i>Luscinia ruficeps</i>)	(<i>Larvivora ruficeps</i>)	
<i>Luscinia akahige</i>	<i>Larvivora akahige</i>	
<i>Luscinia komadori</i>	<i>Larvivora komadori</i>	
<i>Luscinia sibilans</i>	<i>Larvivora sibilans</i>	
<i>Hodgsonius phaenicuroides</i>	<i>Luscinia phaenicuroides</i>	
<i>Luscinia calliope</i>	<i>Calliope calliope</i>	
<i>Luscinia pectoralis</i>	<i>Calliope pectoralis</i>	
<i>Luscinia pectardens</i>	<i>Calliope pectardens</i>	
(<i>Luscinia obscura</i>)	(<i>Calliope obscura</i>)	
<i>Luscinia chrysaea</i>	<i>Tarsiger chrysaes</i>	
<i>Luscinia cyanura</i>	<i>Tarsiger cyanurus</i>	
<i>Luscinia hyperythra</i>	<i>Tarsiger hyperythrus</i>	
<i>Luscinia indica</i>	<i>Tarsiger indicus</i>	
<i>Luscinia johnstoniae</i>	<i>Tarsiger johnstoniae</i>	
<i>Chaimarrornis leucocephalus</i>	<i>Phoenicurus leucocephalus</i>	
<i>Rhyacornis fuliginosa</i>	<i>Phoenicurus fuliginosus</i>	
(<i>Rhyacornis bicolor</i>)	(<i>Phoenicurus bicolor</i>)	
All species of <i>Cercomela</i>	<i>Oenanthe</i>	
All species of <i>Myrmecocichla</i>	<i>Oenanthe</i>	
<i>Thamnolaea cinnamomeiventris</i>	<i>Oenanthe cinnamomeiventris</i>	
<i>Campicoloides bifasciatus</i>	<i>Oenanthe bifasciata</i>	

(1) Previously suggested by Beresford (2003), who also placed *A. fuellebornei*, *A. poliophrys* and *A. choloensis* in *Pseudaethe*; (2) previously suggested by Outlaw and Voelker (2006), who also placed *Ficedula solitaria* in *Anthipes*.