

## Selected Publications at Centre of Biostochastics 2002-2009

- [1] Al-Sarraj, R. & von Rosen, D. (2007). Improving Henderson's method 3 approach when estimating variance components in a two-way mixed linear model. *Research Report 2007:8, Centre of Biostochastics, SLU.*
- [2] Andrushchenko, Zh., Ohlson, M. & von Rosen, D. (2008). Estimation of banded covariance matrices in a multivariate normal distribution. *Research Report 2008:2, Centre of Biostochastics, SLU.*
- [3] Belyaev, Y.K. (2002): Comment to paper "Some cracs in the empire of chance" by Singpurwalla N.D. *International Statistical Review* **70**(1), 53-78.
- [4] Belyaev, Y.K., Buslaev, A.P., Selesnjev, O.V., Tatashev, A.G. & Yashina, M.V. (2002): A Markov approximation of a stochastic model of traffic flow along two bands road. *Research Report, Moscow Auto-Road Technical University.*
- [5] Belyaev, Y.K. (2003): Application of resampling to linear heteroscedastic regression. Bulletin of the International Statistical Institute, Vol. LX, Book1. 54<sup>th</sup> Session of ISI.
- [6] Belyaev, Y.K. (2003): Necessary and sufficient conditions for consistency of resampling. *Research Report 2003:1, Centre of Biostochastics, SLU.*
- [7] Belyaev, Y.K. (2003): On the accuracy of classifiers and corresponding digital discretely colored images. *Theory of Probability and Mathematical Statistics* **66**, 15-25.
- [8] Belyaev, Y.K. & Nosko, V.P. (2003): Discrete classifiers and subsequent estimators. *Abstract of communications. International Conference on Kolmogorov and Contemporary Mathematics. Moscow Lomonosov University.*
- [9] Belyaev, Yu. K. (2004): Application of resampling methods to linear heteroscedastic regression with vector responses. *Research Report 2004-2, Department of Mathematical Statistics, Umeå University.*
- [10] Belyaev, Yu. K. (2005): Application of clustered resampling methods in assessing accuracy of cross-validated estimators of cross-classification probabilities of nearest-neighbor classifiers. *Research Report 2005:1, Centre of Biostochastics, SLU.*
- [11] Belyaev, Yu.K. (2007). Resampling for lifetime distributions. In collected papers "Statistics in Quality and Reliability", Wiley, Vol 3.
- [12] Belyaev, Y.K. (2008). PhD Scientific Supervisor – Kolmogorov A.N. *Letters of Elets State University, Issue 17, Series Education*, pp 24-29. In Russian.
- [13] Belyaev, Yu. K. & Gnedenko, B.V. (2006): Mathematician, researcher and teacher. *Reliability, No. 4, in Russian*
- [14] Belyaev, Y.K., Kriström, B., and Håkansson C. (2009). Rounding it up: Interval and Open Ended Valuation Questions. *Working paper, No 373, Dept. of Forest Economics, SLU.*
- [15] Belyaev, Y.K. (2009). Assessing accuracy of statistical inferences by resamplings with applications in reliability theory. Contributed Paper, VI International Conference MMR 2009 - Mathematical Methods in Reliability, Moscow, June 22-29 2009.
- [16] Ekström, M. (2002): Nonparametric estimation of the variance of sample means based on nonstationary spatial data. *Communication of Statistics-Theory and Methods* **31**, 1743-1775.
- [17] Ekström, M. (2003): Quantifying spatial patterns of landscapes. *Ambio* **32** (8), 573-576.
- [18] Ekström, M. (2005). Subsampling variance estimation for statistics computed from nonstationary spatial lattice data. *Research Report 2005:7, Centre of Biostochastics, SLU.*
- [19] Ekström, M. (2006): Sum-functions of spacings of increasing order. *Journal of Statistical Planning and Inference* **136**, 2535-2546.

- [20] Ekström M. (2008). Alternatives to maximum likelihood estimation based on spacings and the Kullback-Leibler divergence. *Journal of Statistical Planning and Inference*, **138**, 1778-1791.
- [21] Ekström, M. (2008). Subsampling variance estimation for nonstationary spatial lattice data. *Scandinavian Journal of Statistics*, **35**, 38-63.
- [22] Ekström, M. & Jammalamadaka, S.R. (2007): An asymptotically distribution-free test of symmetry. *Journal of Statistical Planning and Inference* **137**, 799-810
- [23] Ekström, M., and Jammalamadaka, S. R. (2009). Addendum to "An asymptotically distribution-free test of symmetry" [Journal of Statistical Planning and Inference 137 (2007) 799-810]. *Journal of Statistical Planning and Inference* 139, 1569-1571
- [24] Ekström, M. & Sjöstedt - de Luna, S. (2004): Subsampling methods to estimate the variance of sample means based on nonstationary spatial data with varying expected values. *Journal of the American Statistical Association* **99**, 82-95.
- [25] Ekström, M. & Sjöstedt - de Luna, S. (2004): Resampling methods to estimate the distribution and the variance of functions of sample means based on nonstationary spatial data (Abstract). In *6<sup>th</sup> World Congress of the Bernoulli Society for Mathematical Statistics and Probability and 67<sup>th</sup> Annual Meeting of the Institute of Mathematical Statistics*, Barcelona, Spain.
- [26] Fang, K.-T., Wang, S.G. & von Rosen, D. (2006): Restricted Expected Multivariate Least Squares. *J. Multivar. Anal.* **97**, 619-632
- [27] Forsman, J. (2006): Statistical inference for the coefficient of variation in normally distributed data. *Research Report 2006:2, Centre of Biostochastics, SLU*
- [28] Forkman, J. (2007). Statistical inference for coefficients of variation shared by several populations. *Research Report 2007:4, Centre of Biostochastics, SLU.*
- [29] Forkman, J. (2007). Design of nonlinear univariate calibration with application to immunoassay. *Research Report 2007:5, Centre of Biostochastics, SLU.*
- [30] Forsman, J. & Söderström, L. (2008): Calibration in immunoassay with proportional errors. *Research Report 2008:10, Centre of Biostochastics, SLU.*
- [31] Gu, Y., Wahlund, B., Liljenström, H., von Rosen, D. & Liang, H. (2004): Analysis of phase shifts in clinical EEG evoked by ECT. *Neurocomputing* **65**, 475-483
- [32] Gu, Y., Hanes, G., Liljenström, H., von Rosen, D. & Wahlund, B. (2005): A cortical network model for clinical EEG data analysis. *Neurocomputin.*
- [33] Hassani, H, Amiri, S., von Rosen, D., Zokaei, M. & Ghodsi, M. (2008). The efficiency of noise reduction for curve fitting in growth curve models. *Research Report 2008:5, Centre of Biostochastics, SLU.*
- [34] Huber, K.T., Moulton, V., Semple, C. & Steel, M. (2003): Recovering a Phylogenetic Tree Using Pairwise Closure Operations. *Research Report 2003:4, Centre of Biostochastics, SLU.*
- [35] Kollo, T., Roos, A. & von Rosen, D. (2005): Approximation of the distribution of the location parameter in the growth curve model. *Research Report 2005:8, Centre of Biostochastics, SLU.*
- [36] Kollo, T. & von Rosen, D. (2005): *Advanced Multivariate Statistics with Matrices*. Series: Mathematics and Its Applications 579, Springer.
- [37] Kollo, T., von Rosen, T. & von Rosen, D. (2008). Estimation in high-dimensional analysis and multivariate linear models. *Research Report 2008:12, Centre of Biostochastics, SLU.*
- [38] Kropf, S., Läuter, J. Kose, D. & von Rosen, D. (2007) . Comparison of exact parametric tests for high-dimensional data. *Research Report 2007:3, Centre of Biostochastics, SLU.*
- [39] Kuljus, K. & von Rosen, D. (2006): Rank Covariance Matrix For A Partially Known Covariance Matrix. *Research Report 2006:1, Centre of Biostochastics, SLU*
- [40] Kuljus, K., von Rosen, D, Viktorin, K. & Salomon, S.J. (2006): Designing optimum experiments for Benchmark dose calculations for continuous endpoints. *Risk Analysis* **26**, 1031—1043.
- [41] Kuljus, K. and von Rosen, D. (2008). Rank covariance matrix estimation of a partially known covariance matrix. *Journal of Statistical Planning and Inference*, **138**, 3667-3673.

- [42] Kuljus, K. (2008). Rank Estimation in Elliptical Models. Estimation of Structured Rank Covariance Matrices and Asymptotics for Heteroscedastic Linear Regression. *Uppsala Dissertations in Mathematics* 58
- [43] Leonardsson, K., Belyaev, Y., Revinoja, P., Lundquist, H. (2005): Modelling upstream migration of Atlantic salmon as a function of environmental variables. (published as Paper III in Revinoja, P. Doctoral Thesis No. 2005:114).
- [44] Lindkvist, H. & Belyaev, Yu. K. (2004): Asymptotic properties of estimators in a model of life data with warnings. *Communications in Statistics--Theory and Methods* **34** (2).
- [45] Löfgren, S., Ranneby, B., Ekström, M., and Yu, J. (2007). Naturliga bakgrundshalter av bly, zink och arsenik i svenska ytvatten baserat på metallernas haltvariation i morän och sedimentära jordar. *Rapport, SGU, nr 2007:3*, 48-50.
- [46] Mathew T., Nahtman, T., von Rosen, D. & Sinha, B.K. (2007). Nonnegative estimation of variance components in heteroscedastic one-way random effects ANOVA models. *Research Report 2007:1, Centre of Biostochastics, SLU*.
- [47] Meng, Q. & von Rosen, D. (2003): Bonferroni-type bounds of degree three. *Commun. Statist. Simul.-Comput.* **32**, 857-872.
- [48] Nahtman, T., von Rosen, D. & Sinha, B.K. (2004): Aspects of estimating inter subject variability with a constant intra coefficient of variation in repeated measurements. *Research Report 2004:2, Centre of Biostochastics, SLU*.
- [49] Nahtman, T., Sinha, B & von Rosen, D. (2004): Aspects of estimating inter subject variability with a constant intra coefficient of variation in repeated measurements. *Calcutta Statistical Assoc. Bulletin* **55**, 15-27.
- [50] Nahtman, T. & von Rosen, D. (2005): Shift permutation invariance in linear random factor models. *Research Report 2005:6, Centre of Biostochastics, SLU*.
- [51] Nahtman, T. & von Rosen, D. (2007). On a Class of singular nonsymmetric matrices with nonnegative integer spectra. *Research Report 2007:10, Centre of Biostochastics, SLU*.
- [52] Nordström, K. & Olofsson, H. (2003a): WFD-REMGIS - användningen av fjärranalys och GIS för genomförandet av Ramdirektivet för vatten. Rapport B - underlag för GIS-rapportering enligt WFD, för Naturvårdsverkets handbok riktad till vattenmyndigheterna och för en utvidgad bristanalys av GIS-data. *Metria Miljöanalys Rapport, Stockholm*.
- [53] Nordström, K. & Olofsson, H. (2003b): Användning av fjärranalys och GIS vid införandet av Ramdirektivet för vatten, en pilotstudie i Dalälvens avrinningsområde. *Rapport nr 23, Länsstyrelsen i Dalarnas län, ISSN 1403-3127*.
- [54] Nordström, K., Ranneby, B., Yu, J., Gustafsson, L.E., Jacobson, C. & Rosengren, M. (2003): Fjärranalys och jordbrukets miljöeffekter - en pilotstudie, *Metria Miljöanalys Rapport, Stockholm*.
- [55] Norström, F. (2003): Comparative Performance of Classification and Stratification Methods in Remote Sensing and Forest Applications. Simulation Studies. *Licentiate Thesis. Research Report 2003:2, Centre of Biostochastics, SLU*.
- [56] Ohlson, M., Andrushchenko, Zh., & von Rosen, D. (2008). Explicit estimators of the parameters in a multivariate normal distribution when the covariance matrix is banded of order  $m$ . *Research Report 2008:3, Centre of Biostochastics, SLU*.
- [57] Pan, J-X & von Rosen, D. (2004): Modelling Mean-Covariance Structures in the Growth Curve Models. *Research Report 2004:4, Centre of Biostochastics, SLU*.
- [58] Pan, J. & von Rosen, D. (2005): Modelling mean-covariance structure in the Growth Curve model. *Contemporary Multivariate Analysis and Design of Experiments*, Eds. Jianqing Fan and Gang Li, 141-158, Series in Biostatistics 2, World Scientific, London
- [59] Pavlenko, T. & von Rosen, D. (2002): Bayesian networks classifiers in high-dimensional framework. In *Proceedings of the 18th Conference on Uncertainty in Artificial Intelligence* (2002) Aug 1-4 2002, Alberta, Canada, eds. A. Darwiche, N. Friedman, 397-404. Morgan Kaufmann publ.

- [60] Pavlenko, T. & von Rosen, D. (2003): On the Optimal Weighting of High-Dimensional Bayesian Networks. *Research Report 2003:6, Centre of Biostochastics, SLU.*
- [61] Pavlenko, T., Hall, M. & von Rosen, D. (2004): Towards the Optimal Feature Selection in High-Dimensional Bayesian Network Classifiers. *Research Report 2004:1, Centre of Biostochastics, SLU.*
- [62] Pavlenko, T. & von Rosen, D. (2004): On the optimal weighting of high-dimensional Bayesian networks. *Adv. Appl. Statist.* **4**, 357-377.
- [63] Pavlenko, T., Hall, M. Andrushchenko, Z. & von Rosen, D. (2004): Towards the optimal feature selection in high-dimensional Bayesian network classifiers. *Soft methodology and random information systems*, 613-620, *Adv. Soft Comput.*, Springer, Berlin.
- [64] Ranney, B. & Yu, J. (2003): Remote sensing classification of environmental indicators, *Proceedings of 30th International Symposium on Remote Sensing of Environment - Information for Risk Management and Sustainable Development, Hawaii.*
- [65] Ranney, B. (2003): Estimation of forest resources. In: *International Biometric Society – Nordic Regional Meeting.*
- [66] Ranney, B. & Yu, J. (2003): Classification of agricultural crops and quality assessment using multispectral and multitemporal images. *Research Report 2003:7, Centre of Biostochastics, SLU.*
- [67] Ranney, B. & Yu, J. (2005): Probabilistic classifier with applications to quality assessment and surface water management *Proceedings of the 90<sup>th</sup> Annual Meeting of Ecological Society of America (ESA), Montreal, Canada.*
- [68] Ranney, B., Yu, J. & Ekström, M. (2004): Biostochastics for remote sensing of the environment with applications. *Joint Statistical Meetings, Toronto, Canada.*
- [69] Ranney, B. & Yu, J. (2007). Probabilistic classifiers using nearest neighbor balls. *Proceedings of 2<sup>nd</sup> International Nearest Neighbors Workshop, Florence, Italy.*
- [70] Ranney, B. & Yu, J. (2008). Maximum spacing estimation for dependent variables. *Proceedings of Frontiers of Probability and Statistical Science, IISA Conference, Storrs, Connecticut, USA.*
- [71] Ranney, B., Jammalamadaka, S.R. & Teterukovskiy, A. (2005) : The Maximum Spacing Estimate for Multivariate Observations. *J. of Statistical Planning & Inference* **129**, 427-446.
- [72] Ringvall, A., Snäll, T., Ekström, M., Ståhl, G. (2007). Unrestricted guided transect sampling for surveying sparse species. *Canadian Journal of Forest Research* **37**(12). 2575-2586.
- [73] Roos, A., Kollo, T. & von Rosen D. (2007). Approximation of the distribution of the location parameter in the Growth Curve model. *Scand. J. Statist.* **34**, 499-510.
- [74] Rönnegård, L., Al-Sarraj, R. & von Rosen, D. (2007). Non-iterative variance component estimation in QTL analysis. *Research Report 2007:9, Centre of Biostochastics, SLU.*
- [75] Sand, S.J., von Rosen, D. & Falk Filipsson, A. (2003): Benchmark calculation in risk assessment using continuous dose-response information: The influence of variance and the determination of a cut-off value. *Risk Analysis* **23**, 1059-1068.
- [76] Sand, S.J., Eriksson, P., von Rosen, D., Fredriksson A., Viberg, H. Viktorin, K. & Falk Filipsson, A. (2004): Dose-response modeling and benchmark calculations from spontaneous behavior data on mice neonatally exposed to 2, 2', 4, 4', 5 -Pentabromodiphenyl Ether. *Toxicol. Sci.* **81**, 491-501.
- [77] Sand, S.J., von Rosen, D., Viktorin, K. & Falk Filipsson, A. (2006): Identification of a critical dose level for risk assessment: Developments in Benchmark dose analysis for continuous endpoints. *Toxicol. Sci.* **90**, 241-251.
- [78] Seid Hamid, J. & von Rosen, D. (2005). Hypothesis testing via residuals in two GMANOVA models. *Research Report 2005:4, Centre of Biostochastics, SLU.*
- [79] Seid Hamid, J. & von Rosen, D. (2005). An approximate critical point for a test in the growth curve model: a conditional approach. *Research Report 2005:5, Centre of Biostochastics, SLU.*

- [80] Seid Hamid, J. & von Rosen, D. (2006). Residuals in the extended Growth Curve model. *Scand. J. Statist.* **33**, 121-138.
- [81] Srivastava, M. & von Rosen, D. (2002): Regression models with unknown singular covariance matrix. *Lin. Algebra and Appl.* **354**, 255-273.
- [82] Srivastava, M.S. & von Rosen, D. (2004): MANOVA with singular variance matrix. *Acta Comment Univ. Tartu. Math.* **8**, 253-269.
- [83] Srivastava, M.S., Nahtman, T. & von Rosen, D. (2007). Models with a Kronecker product covariance structure: estimation and testing. *Research Report 2007:7, Centre of Biostochastics, SLU.*
- [84] Srivastava, M.S., Nahtman, T. & von Rosen, D. (2008). Estimation in General Multivariate Linear Models with Kronecker Product Covariance Structure. *Research Report 2008:1, Centre of Biostochastics, SLU.*
- [85] Sun, Y., Sinha, B., Meng, Q. & von Rosen, D. (2003): Nonnegative estimation of variance components in multivariate unbalanced mixed linear models with two variance components. *J. Statist. Plann. Inference* **115**, 215-234.
- [86] Teterukovskiy, A. & Yu, J. (2002): Contextual reclassification of multispectral images: A Markov random field approach, *Information Processes*, **2**(1), 12-21.
- [87] Teterukovskiy, A. (2003): Detection of tracks in aerial photos by the Gibbs sampler. *International Journal of Pattern Recognition and Artificial Intelligence* **17** (1), 1-16.
- [88] Teterukovskiy, A. & Ranneby, B. (2003): Maximum Likelihood Estimation in Forest Growth Models with Measurement Errors. *Research Report 2003:3, Centre of Biostochastics, SLU.*
- [89] Teterukovskiy, A. & Edenius, L. (2003): Effective Field Sampling for Predicting the Spatial Distribution of Reindeer (*Rangifer tarandus*) with Help of the Gibbs Sampler. *Ambio* **32** (8), 568-572.
- [90] Teterukovskiy, A. (2003): *Computational Statistics with Environmental and Remote Sensing Applications*. Doctoral Dissertation, Silvestria 277, SLU, Sweden.
- [91] Thierfelder, T.K., Grayson R.B., von Rosen, D. & Western, A.W. (2003): Inferring the location of catchment characteristic soil moisture monitoring sites. Covariance structures in the temporal domain. *J. Hydrology* **280**, 13-32.
- [92] Tian, Y.G. & von Rosen, D. (2008). General solutions to some matrix inequalities in Löwner partial ordering. *Research Report 2008:4, Centre of Biostochastics, SLU.*
- [93] Wahlund, B. & von Rosen, D. (2003): ECT of major depressed patients in relation to biological and clinical variables: A brief overview. *Neuropsychopharmacology* **28**, 21-26.
- [94] Wang, S.G., Fang, K.-T. & von Rosen, D. (2003): New estimates of the parameters of circular features by mixed-effects models. *Insurance Mathematics & Economics* **32**, 472-472.
- [95] Xie, Y.F. & Yu, J. (2003): Quasi-maximum likelihood estimators in GARCH (1,2) model: Asymptotics and Applications. *Research Report 2003:5, Centre of Biostochastics, SLU.*
- [96] Xie, Y.F. & Yu, J. (2005). Consistency of quasi-maximum likelihood estimators for the reduced regime-switching GARCH model. *Research Report 2005:2, Centre of Biostochastics, SLU.*
- [97] Xie, Y.F. (2005). Consistency of quasi-maximum likelihood estimators for the regime-switching GARCH model. *Research Report 2005:3, Centre of Biostochastics, SLU.*
- [98] Xie, Y.F., Yu, J. & Ranneby, B. (2007): Forecasting using locally stationary wavelet processes. *Research Report 2007:2, Centre of Biostochastics, SLU.*
- [99] Xie, Y.F., Yu, J. & Ranneby, B. (2007): A general autoregressive model with Markov switching: estimation and consistency. *Research Report 2007:6, Centre of Biostochastics, SLU.*
- [100] Xie, Y. (2007). *Maximum Likelihood Estimation and Forecasting for GARCH, Markov Switching, and Locally Stationary Wavelet Processes*. Doctoral Thesis 2007:107, Acta Universitatis Agriculturae Sueciae.
- [101] Xie, Y. F. (2009). Consistency of maximum likelihood estimators for the regime-switching GARCH model. *Statistics*, **43**(2), 153-165.

- [102] Xie, Y. Yu, J. and Ranney, B. (2008). A general autoregressive model with Markov switching: estimation and consistency. *Mathematical methods of statistics*. **17**(3) 228-240.
- [103] Xie, Y., Yu, J., and Ranney, B. (2009). Forecasting using locally stationary wavelet processes. *Journal of Statistical Computation and Simulation*. **79**(9), 1067-1082.
- [104] Xing, Y. (2008). Weak convergence of currents. *Math. Z.* 260, 253-264.
- [105] Xing, Y. (2008). Convergence in capacity. *Annales de l'institut Fourier*, **58** (5), 1839-1861.
- [106] Xing, Y. (2008). A strong comparison principle of plurisubharmonic functions with finite pluricomplex energy. *Michigan Math. J.*, Volume 56 (3), 563-581.
- [107] Xing, Y. (2008). On Adaptive Bayesian Inference, *Electronic J. Statist.* Vol. 2, 848-862.
- [108] Xing, Y. (2008). Convergence rates of nonparametric posterior distributions. *Research Report 2008:7, Centre of Biostochastics, SLU*
- [109] Xing, Y. (2008). On adaptive Bayesian consistency. *Research Report 2008:8, Centre of Biostochastics, SLU.*
- [110] Xing, Y. and Ranney, B. (2008). On Bayesian consistency. *Research Report 2008:9, Centre of Biostochastics, SLU.*
- [111] Xing, Y. (2008). Convergence rates of posterior distributions for observations without the iid structure. *Research Report 2008:11, Centre of Biostochastics, SLU.*
- [112] Xing, Y. (2009). Asymptotic behavior of Bayesian nonparametric procedures. PhD Thesis, *Acta Universitatis agriculturae Sueciae, 2009:35*
- [113] Xing, Y. and Ranney, B. (2009). Sufficient conditions for Bayesian consistency. *J. Statist. Plann. Inference*. **139**, 2479-2489.
- [114] Xing, Y. (2009). Continuity of the Complex Monge-Ampère operator on compact Kähler manifolds. *Mathematische Zeitschrift*, **263**, 331-344
- [115] Yu, J. & Ekström, M. (2003): Multispectral image classification using wavelets: A simulation study, *Pattern Recognition*, **36**(4), 889-898.
- [116] Yu, J. Ekström, M. & Teterukovskiy, A. (2002): Multi-spectral image classification using wavelets and Markov random field approaches. (Abstract). *Invited speaker at IISA Fourth Biennial International Conference on Statistics, Probability and Related Areas, DeKalb, Illinois.*
- [117] Yu, J. (2005): Consistency of a nearest neighbor density estimator for dependent variables. *Journal of Nonparametric Statistics* **17** (8), 873-884.
- [118] Yu, J., Ranney, B. & Ekström, M. (2006): Biostochastics for remote sensing of the environment with applications. *Proceedings of the International Conference on Asymptotic Theory in Probability and Statistics*, 19-21 June, Hangzhou, China, 40-41.
- [119] Yu, J. & Ranney, B. (2005): Classification of agricultural crops and quality assessment using multispectral and multitemporal images. *Proceedings of the 9<sup>th</sup> International Symposium on Physical Measurements and Signature in Remote Sensing (ISPMSRS), Beijing, China*, pp. 692-694.
- [120] Yu, J. & Ranney, B. (2006): Nonparametric and probabilistic classification of agricultural crops using multitemporal images. Invited paper, Abstract, *Spatial and Spatio-temporal Modelling in Biology, Ecology and Geosciences - Smögen Workshop*, August 21-25, Smögen, Sweden.
- [121] Yu, J. & Ranney, B. (2007): Nonparametric and probabilistic classification of agricultural crops using multitemporal images. *Journal of Remote Sensing*, **11**(5), 748-755.
- [122] Yu, J. & Ranney, B. (2007): *Nonparametric Classification and Probabilistic Classifiers with Environmental and Remote Sensing Applications*. Book chapter in *Asymptotic Theory in Probability and Statistics with Applications*, International Press, Cambridge, MA, pp. 388-436.
- [123] Åsenblad, N. & von Rosen, D. (2004): Analysis of Cross-Over Designs via Growth Curve Models. *Research Report 2004:3, Centre of Biostochastics, SLU.*
- [124] Åsenblad, N. & von Rosen, D. (2006): Analysis of cross-over designs via growth curve models. *J. Statist. Plann. Inference* **136**, 475-497

- [125] Östlund, N., Yu, J., Roeleveld, K. & Karlsson, S. (2004): Adaptive spatial filtering of multichannel surface myoelectrical signals. *Medical & Biological Engineering & Computing* **42**, 852-831.
- [126] Östlund, N., Yu, J. & Karlsson, S. (2004): Improved maximum frequency estimation with application to instantaneous mean frequency estimation of surface EMG. *IEEE Transactions on Biomedical Engineering* **51**, 1541-1546.
- [127] Östlund, N., Wiklund, U., Yu, J. & Karlsson, S. (2005). Adaptive spatio-temporal filtration of bioelectrical signals. *Proceedings of The 27th Annual International Conference of the IEEE Engineering in Medicine and Biology Society (EMBC), Shanghai, China, pp. 5983-5986.*
- [128] Östlund, N., Yu, J. & Karlsson, S. (2006): Adaptive spatio-temporal filtering of multichannel surface EMG signals. *Medical & Biological Engineering & Computing*, **44**, 209-215.