

Table of contents – Proceedings of the Nordic Feed Science Conference 2010 – 2024

2010

Proportion of red clover in forage can be estimated based on calcium concentration 5

M. Rinne, A. Nykänen, J. Kemppainen, L. Nyholm, J. Nousiainen

A practical tool for the prediction of aerobic stability in grass silages 10

M. Bruinenberg, J. Bakker

Estimation of indigestible NDF in feedstuffs for ruminants 15

M. Krämer, M. Riis Weisbjerg, P. Lund

Micro- and nano-technologies - possibilities and challenges 20

A. Krozer

HPLC – applications for agricultural and animal science 23

B. Ericson, J. André

A macro-in vitro system for short-time fermentation studies 27

H. Wallin, P. Udén

Comparisons of estimated rumen protein degradation using a new in vitro gas production technique and the in sacco technique 31

L. Karlsson, M. Hetta, P. Udén, K. Martinsson

The influence of sample preparation on the level of soluble and non-structural carbohydrates in forage crops and silages 36

P. Udén

In vitro methods for indigestible Neutral Detergent Fiber (iNDF) 41

T. Eriksson

Energy and protein requirements for horses in the Nordic countries 47

D. Austbø

The history of feed evaluation for ruminants, with special emphasis on the Nordic countries 51

M. Riis Weisbjerg, M. Rinne, R. Spörndly, A. Ekern, O. M. Harstad

The potential of using the NorFor model to evaluate dietary strategies to reduce methane production and nitrogen excretion in cattle 65

H. Volden

Life cycle assessment of locally produced feed for dairy cows 71

I. Strid, J. Bertilsson

Choice of statistical model and computer procedure or vice versa? 74

L. Norell

Uppsala Livestock Research Centre 79

M. Emanuelson, M. Pehrsson, G. Pettersson

Molecular methods for detection of fungi in haylage 83

J. Schenck, R. Spörndly, C.E. Müller, A. Djurle, D. Funck Jensen

- Silage quality when the crop is infected with *Arion lusitanicus* 86
R. Spörndly, C. Haaga
- The influence of primary growth harvest date on microbial composition in grass-dominated haylage 91
C. E. Müller
- The ensiling capability of a mixture of sodium benzoate, potassium sorbate and sodium nitrite 95
M. Knicky, R. Spörndly
- The influence of different acidification levels and dry matter in ensiled sainfoin on the dissociation of tannin-protein complexes 99
M. Lorenz
- Minimum temperature for the successful fermentation of corn silage 103
T. Pauly
- Fibre content and physiochemical properties of various horse feed ingredients 107
C. Brøkner, K. E. Bach Knudsen, A. H. Tauson
- Form of α -tocopherol affects vitamin E bioavailability in Thoroughbred horses 112
J.D. Pagan, M. Lennox, L. Perry, L. Wood, L.J. Martin, C. Whitehouse, J. Lange
- Fish oil and corn oil supplementation affect red blood cell and serum eicosapentaenoic acid (EPA) and docosahexaenoic acid (DHA) concentrations in Thoroughbred horses 116
J.D. Pagan, T.L. Lawrence, M.A. Lennox
- Effect of linseed based fibre feeds on diet digestibility in horses 119
M.T. Saastamoinen, S. Särkijärvi
- Effects of a forage-only diet on body weight, microflora and VLa4 on Standardbred horses in training 124
A. Jansson, J. E. Lindberg
- Prediction of energy content in forage for horses 127
J. E. Lindberg, S. Ragnarsson
- The effect of short-term adaptation to a high-fat diet on insulin sensitivity in aged Thoroughbred horses 129
L. Perry, J.D. Pagan, L. Wood
- Effect of equine characteristics and dietary factors on mean retention time of digesta in the gastrointestinal tract - a meta-analysis 132
P. Nørgaard, J. S. Jensen
- Influence of sea buckthorn by-products premix feeding on the mare and foal blood biochemical indices 137
U. Ositis, D. Seglina, S. Strikauska, S. Bula
- The effect of maturity of haylage on the apparent total tract digestibility of dietary fibre in horses 142
B. Jensen, C. Brøkner, K.E. Bach Knudsen, A.H. Tauson
- Effect of grass species and time of cutting on digestibility in horses – comparison of methods 146
Särkijärvi, R. Sormunen-Cristian, T. Heikkilä, M. Rinne, M. Saastamoinen, L. Jauhiainen
- Dietary Protein Limbo Bar: How low can we go? 151
G. A. Broderick
- Residual feed intake in beef cattle – a literature review 157
M. Pesonen

The effect of diet and intrinsic characteristics of feed particles on passage kinetics in dairy cows 162
S. Ahvenjärvi, M. Rinne, T. Heikkilä, P. Huhtanen

The effect of grass clover silage on faecal characteristics 166
L. Nielsen, M. Riis Weisbjerg, K. Søgaard

Effect of chopping on diet selection by young dairy steers fed whole-crop barley silage 172
B.-O. Rustas, E. Nadeau

Feed intake and faecal particle size distribution in ewes fed grass silage mixed with concentrate or fed separately at two particle lengths pre- and post partum 176
Brun-Rasmussen, E. Nadeau, P. Nørgaard, C. Helander, A. Arnesson

Slaughter weight and chest girth measurement data to estimate dairy cow live weight change during lactation 181
I. Schei, H. Volden

Effect of abomasal phosphate infusion on inorganic phosphorus kinetics in dairy cows 185
K. Mogodiniyai Kasmaei, K. Holtenius

Whole-crop maize for silage: Effects of maturity stage at harvest and feeding strategy on feed intake, chewing behaviour, diet selection and performance in growing bulls and ram lambs 190
K. Zaralis, C. Helander, E. Nadeau, S. Johansson, P. Nørgaard, M. Murphy

The effect of diets containing increasing amounts of full fat sunflower seed meal on milk fat composition 195
M. Griinari, J. Westh Møller, K. Sejrsen

Fibre digestion in different segments of the digestive tract of dairy cows fed grass silage based diets 199
S. Ahvenjärvi, A. Vanhatalo, T. Stefanski, P. Huhtanen

Effect of incremental amounts of docosahexaenoic acid enriched marine oil on enteric methane production in growing cattle fed grass silage based diets 202
Stefański, S. Ahvenjärvi, P. Kairenius, K.J. Shingfield

2011

Comparison of in vitro and in situ methods in ruminant feed evaluation of in vivo organic matter digestibility of forages 5
S.J. Krizsan, L. Nyholm, J. Nousiainen, K-H. Südekum, P. Huhtanen

A ring-test of a wireless in vitro gas production system 10
C. Cornou, I.K. Auf der Mauer Hindrichsen, H. Worgan, E. Bakewell, D.R. Yáñez Ruíz, L. Abecia, F. Tagliapietra, M. Cattani, I.M. Lindhardt Drejer Storm, C. Ritz, H.H. Hansen

Urine excretion relative to K intake in Swedish Red cattle 15
T. Eriksson

Prediction of rumen forage and concentrate residence times using data from marker excretion studies 20
S.J. Krizsan, S. Seo, J. Lee, P. Huhtanen

Development of in vitro method for determination of methane production kinetics 25
M. Ramin, P. Huhtanen

In vitro estimation of rate and extent of ruminal digestion of cereal feed fractions 29
M. N. Tahir, P. Lund, M. Hetta, K. Martinsson, P. Huhtanen

Magnesium chloride in dry cow silage to prevent parturient hypocalcemia in dairy cows 34

C. Kronqvist, M. Jardstedt, R. Spörndly, K. Holtenius

Locally produced protein feeds for dairy bull calves 38

B. Johansson, T. Fernqvist, A. Hessle, E. Nadeau, A. Arnesson, K-I. Kumm

Plant development, agronomic performance and nutritive value depending on hybrid, maturity and site in forage maize grown at high latitudes 43

Z. Mussadiq, M. Hetta, C. Swensson, A. M. Gustavsson

Methane production in bull calves fed rations based on grain or different levels of high-moisture corn kernel silage 48

A.L.F. Hellwing, K.F. Jørgensen, M. Vestergaard, M.R. Weisbjerg

Relationships between milk urea and production traits in dairy herds in Latvia 53

D. Ruska, D. Jonkus

Estimating milk yield response to increasing feed intake in dairy cows – evaluation of cow level versus group level approaches 58

C. Jensen, M.R. Weisbjerg, S. Østergaard

LYPSIKKI – a novel approach for the formulation of dairy cow rations 62

P. Huhtanen, J. Nousiainen

Comparison of carrots and red palm oil as source of carotenoids in feed 68

V. Sterna, A. Jemeljanovs, I.H. Konosonoka, U. Antone, B. Lujane, R. Anenkova

2012

Information fusion of automated recordings and other sources for assessment of dairy cow nutritional status – transfer of computing principles currently applied in precision crop production 5

M. Brohede

An overview of laboratory ring tests 8

A. Thorlacius

Nordic ringtest on iNDF and NDF contents of ten feed samples 13 T. Eriksson, S. J. Kriszan, H. Volden, T. Eiriksson, T. Jalava, H. Nissen, C. Eriksen, L. Brohede, H. Vedder, M. R. Weisbjerg

The effect on the content of NDF and ADF of silage among different methods 19 Q. Z. Sun, H. B. Han, X. L. Wang, Y. Q. Wang

Can a wireless, magnetoelastic sensor measure pH in the rumen? 23

B.-O. Rustas, M.O. Ullah, C. Schanzenbach, A. Krozer

The variation of control samples in the analyses of crude protein, neutral detergent fibre, in vitro organic matter digestibility and crude fat 27

E. Verner, B. Ericson, P. Udén

Forages Endophytic fungi in forage grasses - do we need to bother about them? 31

K. Huss-Danell, A. Bylin

Variation in forage quality and the potential for its management 36

B. Stenberg, M. Söderström, M. Hetta

Methods for reduction of water soluble carbohydrates content in conserved grass forages 42

C.E., Müller, K. Nostell, J. Bröjer

SDS-PAGE analysis of seed storage proteins in *Lespedeza hedysaroides* (Pall.) Kitag 46

Q.Z. Sun, S.J. Gao, Z. Yu, Y.J. Zhang, X. L. Wang

Effects of different wilting regimes and DM contents on fatty acid profile of fresh forage 49

M. Knicky, T. Eriksson, R. Spörndly

Potential of fibre digestion in sugarcane across the harvesting window 53

J.L.P. Daniel, A. Capelesso, E.H. Cabezas-Garcia, M. Zopollatto, M.C. Santos, P. Huhtanen, L.G. Nussio

Indigestible NDF (iNDF) of grass and clover mixtures harvested at different times 58

R. Spörndly, N. Nilsdotter-Linde, J. Jansson

Harvest system and the effect on forage quantity and forage quality 62

K. Martinson, L. Ericson

The utilization of multidimensional scaling to evaluate preferences of goats for different grass silages 67

K. Gerlach, F. Roß, W. Büscher, K-H Südekum

Investigation and comparison of nutritional value and forage quality indicators in some rangeland's species 72

R. D. Bidgoli, G. A. Heshmati

Impact of invasion of *Eragrostis plana* Nees on feeding choices by cattle and sheep in native vegetation 77

P.F.C. Carvalho, J.C. Mezzalira, L. Fonseca, C. Bremm, O.J.F. Bonnet

Characteristics of soil weed seed bank in alfalfa fields among different forage crops 82

Y. Y. Guo, Y. Q. Wang, Q. Z. Sun

Effect of dietary energy level during the dry period on insulin resistance in dairy cows 84

T. Kokkonen, S. Salin, S. Selim, J. Taponen, K. Elo, A. Vanhatalo

Effects of the inclusion of NaOH-treated wheat on the voluntary feed intake and milk production in dairy cows 89

M. Hetta, M.N. Tahir, S.J. Krizsan, A. Puranen, P. Huhtanen

Prediction of methane production from dairy cows 94

T.M. Storlien, H. Volden, T. Almøy, K. Beauchemin, T. McAllister, O.M. Harstad

Effects of birch (*Betula nana*) on in vitro methane production using a gas production technique 98

M. Ramin, M. Hetta, P. Huhtanen

Comparing microbial communities to evaluate methane production in a gas in vitro system vs. in vivo 102

R. Danielsson, A. Omazic, M. Ramin, M. Griinari, A. Schnürer, J. Bertilsson, K. Holtenius, P. Huhtanen

Effects of moisture content and exposure time on nutritional value and microorganism composition of TMR during aerobic deterioration 105

W. Hao, H. L. Wang, T. T. Ning, H. Lei, C. C. Xu

Feed factors affecting iodine content in milk 110

E. Prestløkken

Changes in body condition scores during lactation of Norwegian Cattle 113

I. Schei, H. Volden

Exit strategies for corn silage and performance of dairy cows 117

D. Junges, A. W. Bispo, L. Custódio, C. Kleinshmitt, J. R. Lima, J. L. P. Daniel, M. Zopollatto, L. G. Nussio

Fermentation quality and nutritive value of total mixed ration silage of green tea grounds at ten or twenty percent of dry matter 122

C. C. Xu, W. Hao, F. Y. Yang, Y. W. Zhang, X. L. Wang, M. L. Chen

A comparison of dietary protein evaluations by the NRC-2001 and Nordic Feed Evaluation systems 128
G. A. Broderick, M. Åkerlind

Diurnal urinary urea concentration patterns in lactating cows, dry cows and heifers at different dietary crude protein concentrations 135
T. Eriksson

Nitrogen and phosphorus excretion in manure from dairy cows calculated by using NorFor 140
I.J. Karlengen, H. Volden,, A. J. Rygh, O. M. Harstad

2013

Forage energy and nutrient content - possibilities and limitations for the athletic horses 5
A. Jansson

Growth and qualification race performance in 1.5-3 year old Standardbred horses fed a forage-only diet ad libitum 10
S. Ringmark, A. Jansson

Effects of pasture-associated fat deposition on the expression of adipocytokine, chemokine and insulin signaling pathway genes in Finnhorse mares 13
S. Selim, S. Jaakkola, N. Karikoski, T. Kokkonen, T. Reilas, M. Saastamoinen, S. Särkijärvi, K. Elo

Fecal and cecal pH in horses fed hay only or hay and pelleted barley 18
R.B. Jensen, J.A. Næsset, D. Austbø, A.-H. Tauson

Haylage harvest in late plant maturity - effects on ingestion and digestion in horses 21
C.E. Müller

A novel sterilization technique with application to silage research and inoculant evaluation 25
K. Mogodiniyai Kasmaei, P. Udén

Effects of delayed sealing during silo filling – Experiments with lab-scale silos 30
T. Pauly, M. Sundberg, R. Spörndly

Heat treatment increases the protein value in beans 34
H. Martinussen, K.F. Jørgensen, F. Strudsholm, M.R. Weisbjerg

Rumen degradability of protein in field beans after heat treatment or ensiling 39
R. Spörndly

Methods for examining fungal prevalence in haylage 43
J. Schenck, C.E. Müller, R. Spörndly

Milk production based on grass/clover silage and cereal feeding 48
E. Spörndly, R. Spörndly

NIR analyses in forages: quality assurance in compliance with ISO 12099:2010 52
C. Almquist

Methods for iNDF determination 56
M.R. Weisbjerg

Effects of amount and source of protein feeds on concentrations of hydrogen sulphide and other volatiles in the rumen headspace gas of dairy cows 61
B.-O. Rustas, E. Carlsson, S. Johansson, T. Eriksson

New recommendations of the ruminal in situ determination of indigestible neutral detergent fiber with special reference to near infrared reflectance spectroscopy 65
S.J. Krizsan, M. Rinne, L. Nyholm, P. Huhtanen

Trying to account for all components in fresh and ensiled forage plants 71
P. Udén

Comparison of rumen fluid inoculum vs. faecal inoculum on methane production in vitro 75
M. Ramin, D. Lerose, P. Huhtanen

Effect of feeding rumen-protected CLA on milk yield and composition 81
Å.T. Randby

Comparison of feed intake models for dairy cows 87
L.M. Jensen, N. I. Nielsen and P. Nørgaard

Using NorFor to Balance Diets for Amino Acids in Lactating Dairy Cows 93
G. Broderick, M. Åkerlind, N. Nielsen

Effects on dairy cow urine volume and N metabolism at different K intake levels 98
T. Eriksson, B.-O. Rustas

Rapeseed or soybean meal to lactating dairy cows fed grass silage-based diets 104

H. Gidlund, M. Hetta, S.J. Krizsan, S. Lemosquet, P. Huhtanen

In-situ disappearance of the minerals calcium, phosphorus and magnesium from grass and maize silages in the rumen of dairy cows 109

G. Brunsgaard, M.H. Bruinenberg, A. Jacobs, G. Abbink

Relationships between ewe body condition score, production traits and nutrition, on organic sheep farms 114

P. Piirsalu, J. Samarütel, S. Tölp, I. Nutt, T. Kaart

A comparison of herbivore digestion efficiency in vitro using moose spring and summer foods 118

S.J. Krizsan, A. Felton, M. Ramin, A. Anttila, M. Vaga, H. Gidlund, P. Huhtanen

2014

Ecology of silage microorganisms 5

Mogodiniyai Kasmaei, V. Passoth, P. Udén

Managing the aerobic stability of silages 10

L. Kung Jr.

Aerobic exposure of silages – effects on chemical composition and preference by goats 15

K.-H. Südekum, K. Gerlach

Effects of particle size and chemical additives on fermentation and aerobic stability of grass-clover silage 19

E. Nadeau, H. Auerbach

Effects of different moisture contents and additives on the quality of baled oat silage 25

Z. Gui-Qin, Q. Fang-Cuo, J. Ting, H. Jian-Jie, S. Xu-Dong

The effect of silage additive on fermentation quality, clostridia and aerobic stability of a white lupin-wheat silage 31

W. König, L. Puhakka, M. Lamminen, K. Weiss, A. Vanhatalo, S. Jaakkola

Protein value in organic grass-clover silages from spring and summer growth 37

A.K. Bakken, M. Vaga, M. Hetta, Å. Taksdal Randby, H. Steinshamn

Dynamics of gasformation during ensilage 41

M. Knicky, H-G. Wiberg, F. Eide, B. Gertzell

Mycotoxins in haylage 47

J. Schenk, C. Müller, R. Spörndly

Energy efficient and competitive on farm storage of moist feed grain – preliminary results 51

N. Jonsson, J. Blomqvist, M. Olstorpe

Agro-food industry wastes conversion into safer feed stock by using lactic acid bacteria 57

V. Krungleviciute, E. Bartkiene, J. Kantautaite, G. Juodeikiene, J. Damasius, V. Baliukoniene, B. Bakutis

Should rumen microbial protein formation be maximized? 58

G. A. Broderick

Biological limits to N utilization in dairy cows 67

S. Ahvenjärvi, T. Stefanski, A. Vanhatalo, P. Huhtanen

- Evaluation of protein supplementation for growing cattle: A meta-analysis 72
A. Huuskonen, P. Huhtanen, E. Joki-Tokola
- A meta-analysis of milk production responses to increased supply of AAT 78
I. Schei, N. I. Nielsen, M. Åkerlind, Volden, H.
- Dietary nutrient density and effects on intake and production 83
S. Rengman, B. Johansson, M. Murphy
- Intra-ruminal mixing of concentrate pellets produced by conventional pellet press or extruder 88
M. Nordqvist, P. Lund, A. C. Storm, M. R. Weisbjerg, M. Larsen
- Prediction of methane emissions from dairy cows fed cold-pressed linseed cake 92
M. Kass, A. Olt, R. Leming, M. Ots
- Effects of concentrate feeding strategies on performance of dairy bulls 97
K. Manni, M. Rinne, A. Huuskonen
- Effects of supplementary concentrate level and separate or total mixed ration feeding on performance of growing dairy bulls 103
M. Pesonen, E. Joki-Tokola, A. Huuskonen
- Effect of salt addition to a barley concentrate on milking frequency, milk yield and feed intake in automatic milking systems 109
M. Johansen, M. Larsen, P. Lund & M. R. Weisbjerg
- The evaluation of efficiency of different mineral additives on milk yield and quality in dairy cows 113
V. Jokubauskienė, V. Špakauskas
- Selenium supplementation by addition of sodium selenate with silage additive 118
A. Seppälä, Y. Madrid Albarran, H. Miettinen, M. Palomo Sigüero, E. Juutinen, M. Rinne
- Factors influencing the production value of forage protein 124
P. Huhtanen
- The new protein evaluation of horse feeds in Germany 130
K-H Südekum
- Effects of crude protein content in forage-only diets fed to horses 133
A. Jansson, S. Ringmark
- Simple Excel VBA application for Monte Carlo simulation with ad hoc made spreadsheet models 138
T. Eriksson
- Comparison between individual feeds and total diets on predicted methane production from in vitro simulations 143
M. Ramin, M. Vaga, E. H. Cabezas-Garcia and E. Detmann
- Relationship between chewing index and intake of metabolizable energy in pregnant ewes 147
M. Vestergaard Nielsen, E. Nadeau, B. Markussen, C. Helander, M. Eknæs, Å. Randby, P. Nørgaard
- In-line oxygen monitoring in lab-scale silos 153
T. Pauly
- Effects of heat treatment on protein feeds evaluated in vitro utilising the method utilisable protein 157
M. Vaga, M. Hetta, P. Huhtanen
- Grass silage extract, feed component suitable for pigs – prospects for on farm biorefinery 163
A. Seppälä, S. Kyntäjä, L. Blasco, M. Siika-Aho, S. Hautala, O. Byman, H. Ilvesniemi, H. Ojamo, M. Rinne, M. Harju

Dry matter yields and feed values of faba bean and pea as bi-crops with wheat or oats in Northern Finland 169

K. Kuoppala, A. Huuskonen, E. Saarinen, M. Rinne

2015

Bio-synchrotron based feed research program: synchrotron-based technology as a new approach for plant-based feed protein structure research at ultra-spatial resolutions 5

P. Yu

Karoline in Excel 12

P. Huhtanen

The effect of sodium sulfite on fiber analyses of red clover using the ANKOM® detergent fiber fractionation system 18

H.H. Hansen, H.M. Ebeid, K. Manolopoulos, M. Toldbod Nielsen, E. Nadeau

Feed conservation and processing Biogas from grass silage 23

P. O’Kiely, P. Nolan, D.M. Wall, H. Himanshu, J.J. Lenehan, E.M. Doyle, J.D. Murphy

What are the real ‘shrink’ losses in maize silage piles? 35

P. Robinson, N. Swanepoel, J. Heguy, D. Meyer

Monitoring the bacterial dynamics during ensiling and aerobic stress with molecular methods 45

K. Graf, A. Ulrich, C. Idler, M. Klocke

Effect of hammer milling, roller milling and pelleting on technical characteristics of barley for ruminants 50

G. Q. Khan, E. Prestløkken

Separating the effects of pre-ensiled chemical and microbial composition on silage fermentation and aerobic stability 55

K. Mogodiniyai Kasmaei, R. Spörndly, P. Udén

The effect on silage quality of air ingress during fermentation in experimental silos 60

R. Spörndly, A. Persson

Yeast in fresh crop and silage from 15 Swedish farms and its impact on silage aerobic stability 66

R. Spörndly, A. Persson

Aerobic stability of crimped barley ensiled with organic acids 71

A. Seppälä, M. Mäki, S. Orkola, M. Rinne

Effect of acid-based additives and air stress on composition and aerobic stability of crimped maize grain ensiled in lab-scale silos 77

T. Pauly, H. Hjelm

Performance and meat quality of growing bulls offered whole crop legume-cereal silages 82

M. Pesonen, M. Honkavaara, A. Huuskonen

Relationship between net energy intake by pregnant beef cows and dietary chewing index of roughage diets 89

M. V. Nielsen, M. Jardstedt, E. Nadeau, B. Markussen, A. Hessle, M. Falkesgaard, P. Nørgaard

What does the cow and NorFor say about sugar in the diet? 95

J. Bertilsson, T. Eriksson, M. Åkerlind

Effect of different rapeseed products and increasing glucosinolate intake on iodine concentration in cow milk 101

G. Trøan, E. Prestløkken

Protein value of different seaweed species in dairy cows 107

U. Tayyab, M. Novoa-Garrido, M.Y. Roleda, M.R. Weisbjerg

Effect of heat treated field beans on the performance of Swedish lactating dairy cows 111

M. Ramin, A. Höjer, F. Fogelberg, M. Hetta, P. Huhtanen

Estimation and evaluation of rumen microbial protein synthesis in NorFor and other feed evaluation systems 116

R. Hauge, M. Johansen, N. I. Nielsen

Predicting intake capacity of growing bulls 123 M. Åkerlind, B. Johansson, H. Stenberg, K. Zaralis, I. Schei, N.I. Nielsen, E. Nadeau

Effects of supplemental yeast (*Saccharomyces cerevisiae*) culture on feed intake and growth performance in dairy calves 130

M. Pesonen, A. Huuskonen

2016

Improving feed analytical quality through proficiency testing 5

A.Thorlacius

Are the nutrients and energy values for commercial compound feeds in the NorFor feedstuff table correct? – a NIR screening conducted using different laboratories 11

M. Åkerlind, N. I. Nielsen

A note on sample preparation in the analysis of nitrate and nitrite in forage 17

R. Spörndly, M. Knický, B. Ericson, T. Grönqvist

Different experimental designs in testing of silage additives 21

M. Knicky, R. Spörndly, F. Eide, B. Gertzell

Bacterial composition of grass, red clover and maize, a pilot study 26

K. Mogodiniyai Kasmaei

Test scheme for the evaluation of ensiling agents which have potential to improve aerobic deterioration 29

T. Pauly, H. Hjelm

Ensiling of whole crop field beans (*Vicia faba*) as affected by silage additives 35

C. Kalzendorf, A. Milimonka, W. Richardt

Temperature development and dry matter losses of grass silage in bunker silos 41

R. Spörndly, R. Nylund

Karoline model as a useful tool in predicting methane in cattle 47

M. Kass, M. Ramin P. Huhtanen

Importance of accurate and correct quantitative measurements in a new volumetric gas measuring technique for in vitro assessment of ruminant feeds 52

J. Liu, S. Strömberg, J.R. van Gorp, M. Nistor

Evaluation of bio-forage feeds developed through gene silencing, modification and inserting techniques for ruminant livestock systems: progress update 60

A. Jonker, M.Y. Gruber, Y. Wang, R. Heendeniya, Y. Lei, A. Hannoufa, P. Yu

The effect of pelleting hay upon feed intake, digestibility, growth rate and energy 67
Th. Lárusson, J. Sveinbjörnsson

Can in vivo methane production be predicted using the in vitro gas system? 73
M. Ramin, R. Danielsson, J. Bertilsson, P. Lund, P. Huhtanen

Effect of adjusting the dietary chewing index for intake of forage NDF on the performance of a net energy intake model 78
L. M. Jensen, P. Nørgaard

Replacing cereals and soybean meal with sugar beet pulp and rapeseed meal or distiller's grain in grass silage diets to dairy cows 82
J. Karlsson, R. Spörndly, M. Patel, K. Holtenius

Feed intake and live weight gain of Hereford bulls offered diets based on whole crop barley, whole crop wheat and grass silages with or without protein supplementation 87
M. Pesonen, A. Huuskonen, E. Joki-Tokola

Mixed ration or separate feeding in automatic milking systems – does it matter in free cow traffic? 93
M. Patel, E. Spörndly

Effect of grass silages from regrowth on dairy cow performance 97
D. Pang, P. Huhtanen, S.J. Krizsan

Metabolizable energy in grass and red clover silage fed to sheep 102
S. J. Krizsan, F. Fatehi, D. Pang, M. Rinne, P. Huhtanen

The effect of dietary carbohydrate source on ruminal digestion and nutrient utilization in lactating dairy cows 108
E. H. Cabezas-Garcia, S. J. Krizsan, K. Shingfield, P. Huhtanen

Ruminal pH and volatile fatty acid concentrations in Swedish dairy cow feeding trials 112
T. Eriksson, J. Bertilsson, R. Spörndly, M. Patel

Dry matter intake and water intake and urine excretion in mid-lactating cows on part-time pasture 118
T. Jansson, H. Kismul, E. Spörndly T. Eriksson

Feed and animal factors related to subacute rumen acidosis 124
M. Oba

Is monitoring rumen pH a routine tool or a seasonal adjustment to new forage quality? 129
T.T.F. Mottram

The difficulties of diagnosing SARA 133
A. M. Danscher

2017

Monitoring or modelling the individual feed efficiency – quantifying the efficient and inefficient dairy cows in commercial farms 7
V. Bloch, H. Levit, I. Richter, Y. Ben Meir, J. Miron, Y. Parmet, I. Halachmi

Exploring the potential of precision dairy tools 13
J. Bewley

Relative value of lucerne and red clover silages for lactating cows 29
G. A. Broderick

Biosensor technologies for agriculture and environment – opportunities and challenges 38
W.C. Mak

Effects of supplementation of glycerol on feed intake, milk production and methane emissions in dairy cows 42

J. Karlsson, M. Ramin, M. Kass, M. Patel, K. Holtenius

Effect of a grain or by-product based concentrate with early or late harvested first cut grass-clover silage on dairy cow performance 48

D. Pang, P. Huhtanen, E. Trevisi, S.J. Krizsan

In vitro evaluation of agro-industrial by-products replacing soybean meal in two different basal diets for ruminants 54

M.O. Franco, S.J. Krizsan, M. Ramin, R. Spörndly, P. Huhtanen

The effect of nitrate content in forage on quality of silage fermentation 60

M. Knicky, R. Spörndly, F. Eide, B. Gertzell

Effect of extracted seaweed protein fractions on estimated utilizable crude protein, methane emission and fermentation parameters – an in vitro evaluation 65

M. Ramin, M. de Oliveira Franco, M.Y. Roleda, I.M. Aasen, M. Hetta, H. Steinshamn

Potential of fibrolytic enzymes in ensiling grass for a biorefinery process 71

M. Rinne, E. Winquist, V. Pihlajaniemi, P. Niemi, A. Seppälä, M. Siika-Aho

A note on the response in feed intake and milk yield on increased forage organic matter digestibility 77

M.R. Weisbjerg, M. Johansen

Strengthening generation of quality feed-related data and their dissemination: proficiency testing programmes of FAO and its collaborating partners, and Feedipedia 81

H. P.S. Makkar, G. Tran, V. Heuzé, T. Herrman, I. Strnad

Current status in Nordic feed analysis, scrutinized through proficiency test results 88

A. Thorlacius

Ringtest shows that in vitro organic matter digestibility in silages varies 3-4%-units between laboratories doing NorFor analysis 93

N.I. Nielsen, N.B. Kristensen

Finnish feed evaluation system and Feed Tables 97

M. Rinne, K. Kuoppala, A. Vanhatalo, T. Huhtamäki, J. Nousiainen, P. Huhtanen

The NorFor feed database 102

M. Åkerlind, N.I. Nielsen, C. Alvarez, P. Nordgren

The importance of pectin and organic acids in plants 109

P. Udén

A comparison of first, second and third cut timothy silages in the diets of finishing beef bulls 117

M. Pesonen, A. Huuskonen

Effects of silage additives on intake, gain and carcass traits of growing and finishing dairy bulls fed grass silage and barley grain based rations 124

A. Huuskonen, A. Seppälä, M. Rinne

In situ dry matter degradation kinetics of tropical forages 130

M. N. Tahir, Z. Khan, N. A. Khan, Saima, Z. Kamran, F. Inal

Can manipulation of growth patterns of dairy bulls bring benefits to beef production? 136

K. Manni, M. Rinne, A. Huuskonen, E. Joki-Tokola

Near infrared reflectance spectroscopy as a tool for estimating quality parameter of legume feeds 142

I.H. Konosonoka, A. Kronberga, L. Lepse

In vitro evaluation of agro-industrial by-products replacing barley in diets to dairy cows 146
S.J. Krizsan, M. Ramin, F. Fatehi, R. Spörndly, P. Huhtanen

Precision feeding strategies in dairy cows: TMR and auto feeder use 151
L. D'incà, E. Bonfante, D. Cavallini, A. Palmonari, M. Fustini, L. Mammi, A. Formigoni

The effect of additive treatments of grass silage and total mixed ration (TMR) on the aerobic stability of TMR 157
S. Jaakkola, A. Cools, A. Seppälä, T. Kokkonen

Improving the usability of carrot by-products as animal feeds by ensiling 163
M. Rinne, T. Jalava, H. Siljander-Rasi, K. Kuoppala, L. Blasco, M. Kahala, E. Järvenpää

Relation between seal integrity and hygienic quality in silage bales and differences between baling techniques 169
R. Spörndly, V. Stennemark, R. Nylund

2018

Density of pelleted feeds to dairy cows and passage to the small intestine 7
M. Larsen, P. Lund & M.R. Weisbjerg

Can we increase digestibility of green forages by physical treatment before ensiling? 15
M.R. Weisbjerg, P. Waldemar, A.L.F. Hellwing & T. Kristensen

Contribution of forages for the nutrient use efficiency in ruminant nutrition 23
M. Gierus

Feed intake, milk production and dry matter digestibility in cows fed CTMR 29
F. Petters, M. Lindberg & C. Kronqvist

What raw material processing technology is available at the BTC - Biomass Technology Centre, Umeå? 35
S.H. Larsson

The Centre for feed technology – FôrTek 41
D. Miladinovic

What will the Feed Technology Laboratory in Uppsala be able to do in the near future? 45
A. Vidakovic

Grass silage for biorefinery - effect of additives on silage quality and liquid-solid separation in timothy and red clover silages 49
M. Franco, T. Jalava, T. Stefański, K. Kuoppala, P. Timonen, E. Winqvist, M. Siika-aho & M. Rinne

Grass silage for biorefinery - dairy cow responses to diets based on solid fraction of grass silage 55
O. Savonen, M. Franco, T. Stefański, P. Mäntysaari, K. Kuoppala & M. Rinne

Forages – a local protein source for growing pigs 61
S.A. Adler, A. Johansen, A.K. Ingvaldstad, R. Eltun & E.J. Gjerlaug-Enger

Techniques to measure ruminal protein degradation – a review 67
P. Udén

Microbial protein and rumen undegraded protein are not additive 75
P. Huhtanen, S. Ahvenjärvi & G.A. Broderick

In vivo nutrient digestibility of a protein fraction extracted from macroalgae
Saccharina latissima in sheep 83

S. Özkan Gülzari, V. Lind, I.M. Aasen & H. Steinshamn

In vitro ruminal digestion and methane production from different products
of microcrystalline cellulose 87

T. Stefański, A. L. Välimaa, K. Kuoppala, T. Jalava, P. Paananen & M. Rinne

Total digesta mean retention time in dairy cows with different abilities to
consume large quantities of roughage 95

R. Danielsson, M. Eklund, H. Gonda, J. Karlsson, C. Kronqvist & M. Åkerlind

The influence of milk yield, body weight and parity on feed intake
by dairy cows 101

K. Holtenius, L. Andrée O'Hara & J. Karlsson

Dynamic feeding of dairy cows in automatic milking systems 107

S. Ferneborg, H. Steinshamn & E. Prestløkken

Technical note: Particle size distribution analysis using sieving aids 111

M. Larsen & T.N. Jakobsen

Feeding rye grain to growing dairy bulls 115

M. Pesonen & A. Huuskonen

Effect of replacing barley grain with oat grain in the diet of dairy cows
on methane production in vitro 121

P. Fant, M. Ramin, S. Jaakkola, Å. Grimberg, A. Carlsson & P. Huhtanen

Cereals or sugar beet pulp - effects on feed consumption, milk yield,
human edibles and domestic feed origin 127

M. Johansson, C. Nyemad & J. Karlsson

Effect of tetracycline and penicillin on ruminal methane production and total
gas production from dairy cow feces 133

R. Danielsson, M. Ramin, J. Dahlberg, T. Roslin & S. Agenäs

The new Gas Endeavour system from Bioprocess Control AB for in vitro
assessment of animal feeds 135

J. Liu, J.R. van Gorp & M. Nistor

Preservatives can improve aerobic stability of potato by-products 143

M. Franco, T. Jalava, M. Kahala, E. Järvenpää, M. Lehto & M. Rinne

Effect of compound composition on water stability of pellets 149

M. Larsen & B.M.L. Raun

Grass silage for biorefinery – separation efficiency and aerobic stability
of silage and solid fraction 153

T. Stefański, M. Franco, O. Kautto, T. Jalava, E. Winquist & M. Rinne

Milk production, feed sorting behaviour and social interactions in the feeding
area in cows fed TMR or compact TMR 159

M. Lindberg, U. Robertsson & C. Kronqvist

Effect of Maxammon grain treatment on performance of finishing beef cattle 163

N. N. Jonsson, G. Wolff & D. MacKenzie

New co-products from bio-energy processing as a potential new feed source

evaluated for feed registration: research progress and update 167
V.H. Guevara-Oquendo, B. Yajing, A. Ismael, B. Refat, D. A. Christensen,
J.J. McKinnon & P. Yu

Dry matter losses from different silo structures 171
R. Spörndly

Preservation of black soldier fly larvae (BSFL) by anaerobic fermentation 177
M. Knicky, K. M. Kasmaei, B-O. Rustas, A. Vidakovic, P. Uden,
R. Nylund & H. Gonda

Rumen in vitro total gas production of timothy, red clover and the mixed
silage after extrusion 181
H. Yang, B.-O. Rustas & T. Eriksson

2019

Knowledge of amino acid metabolism helps to refine recommendations for
dairy rations 5
H. Lapierre, R. Martineau & D.R. Ouellet

Evaluation of the NorFor, Finnish (FIN) and 2001 NRC protein systems 13
P. Huhtanen

The Hohenheim gas test for evaluating protein to ruminants 21
K.-H. Südekum & C. Böttger

Forage protein quality as affected by wilting, ensiling and the use of silage
additives 28
E. Nadeau, D. O. Sousa & H. Auerbach

Application of three laboratory methods to estimate the protein value
of rapeseed meal for ruminants 34
C. Böttger, T. Weber, F. Mader & K.-H. Südekum

Effect of rumen-protected amino acid supplementation of dairy cows fed a
grass silage and by-product based diet 40
J. Karlsson, M. Lindberg & K. Holtenius

Alternative crops as feed sources during the drought in Sweden 2018 45
G. Bergkvist & R. Spörndly

Feeding by-products to dairy cows – is it good for the environment and
profitable for the farmer? 51
M. Lindberg, M. Henriksson, S. Bååth Jacobsson & M. Berglund

Estimating and optimizing carbon footprint of milk in NorFor 57
N. I. Nielsen

In vitro evaluation of different dietary methane mitigation strategies 62
J. Chagas, M. Ramin, A. Jafari & S. Krizsan

Rapeseed lipids to decrease saturated fatty acids in milk and ruminal
methane emissions of dairy cows 69
A. Halmemies-Beauchet-Filleau, S. Jaakkola, T. Kokkonen,
A.M. Turpeinen, D.I. Givens & A. Vanhatalo

Feeding dairy cows with no or reduced amounts of forage 87

C.F. Børsting, A.L.F. Hellwing, M.R. Weisbjerg, S. Østergaard, B.L. Raun, B.A. Røjen & N.B. Kristensen

The effects of microcrystalline cellulose as a dietary component for lactating dairy cows 92

O. Savonen, P. Kairenius, P. Mäntysaari, T. Stefanski, J. Pakkasmaa & M. Rinne

A method for measuring energy content in compound feeds in the NorFor system 99

C. Álvarez, N.I. Nielsen & M.R. Weisbjerg

How to use NorFor feed values when analysing and reporting experimental results? 104

M.R. Weisbjerg, M.Ø. Kristensen, N.I. Nielsen, T. Kristensen, M. Johansen, P. Lund & M. Larsen

Evaluation of NorFor's prediction of neutral detergent fibre digestibility in dairy cows 109

M. Åkerlind & N.I. Nielsen

Replacing timothy silage by whole crop barley silage improved intake and growth performance of beef bulls 117

A. Huuskonen & K. Manni

Estimates for rumen dry matter degradation of concentrates are higher, but not consistently, when evaluated based on in sacco as compared to in vitro methods 123

L.E. Sembach, H.H. Hansen, R. Dhakal, T. Eriksson, N.I. Nielsen & M.O. Nielsen

Prediction of intake, digestibility and weight gain of sheep fed urea-wood ash treated maize cobs from in vitro degraded substrate 129

A. Abdulazeez, C.M. Tsopito & O.R Madibela

Aerobic stability of fresh and ensiled potato by-product treated with preservatives and yield fractions from a biorefinery process 137

M. Franco, T. Stefański, T. Jalava, M. Lehto, M. Kahala, E. Järvenpää & M. Rinne

Manipulation of mixed red clover and grass silage quality through compaction, soil contamination and use of additives 143

M. Franco, T. Stefański, T. Jalava, A. Huuskonen & M. Rinne

Digestibility of grass silage treated with a feruloyl esterase producing inoculant 150

K. Kelkay Haile & K. Mogodinyai Kasmaei

Estimation of VOC emission from silages in Sweden 154

M. Knicky, R. Spörndly & H. Gonda

The effect of silage additives onto fermentation of late autumn cut grass 158

A. Milimonka, A. Zeyner & G. Glenz

2022

Improving forage harvesting and conservation affects dairy farm efficiency and sustainability 5

G. Borreani, F. Ferrero, S. Pasinato, G. Rolando & E. Tabacco

Silage technologies and management of the future 20

D. Vyas & A. T. Adesogan

Effects of a microbial silage inoculant on fermentation of nitrate-free grass silage ensiled in round bales at low and high dry matter level 29

I. Eisner & S. Ohl

- Effects of innovative inoculants on fermentation quality of grass silage 32
M. Franco, I. Nikodinoska, C. Moran & M. Rinne
- Effect of wilting and application rate of silage additive restricting fermentation on estimated grass silage protein value 35
H. Steinshamn, S. Krizsan & L. Østrem
- Biochar addition at ensiling – effects on silage characteristics 38
T. Eriksson, B.O. Rustas, H. Gonda
- Preservation quality of crimped barley grains ensiled at variable moisture contents and using different silage additives 41
M. Franco & M. Rinne
- Chemical composition and *in vivo* digestibility of biorefined pulp from fresh and ensiled grass-clover forage 44
E. Nadeau, F. Dahlström & D. Sousa
- Effects of silage additives on the ensiling characteristics of pulp from bio-refining 47
N. P. Hansen, J. L. Bitsch, S. K. Jensen, M. Johansen, M. Larsen & M. R. Weisbjerg
- Ensiling of common reed 51
B.O. Rustas, R. Spörndly & A. Kiessling
- Technologies for improving fiber utilization 55
D. Vyas & A.T. Adesogan
- Reducing carbon footprint of milk using rapeseed and NorFor in Danish dairy herds 83
N. I. Nielsen, M. Ø. Kristensen, A. M. H. Kjeldsen & F. H. L. Jensen
- Feeding value of processed birch measured *in vitro*, *in sacco* and *in vivo* 86
A. Kidane, L. M. Hval & E. Prestløkken
- Effect of reducing silage particle size by extrusion on chewing behaviour and rumen pH in dairy cows 89
M. Managos, T. Eriksson & B.O. Rustas
- Effects of forage and grain legume-based silages supplemented with faba bean seed or rapeseed expeller on milk production and composition in dairy cows 92
S. E. Räisänen, K. Kuoppala, P. Rissanen, A. Halmemies-Beauchet-Filleau, T. Kokkonen & A. Vanhatalo
- Effect of harvesting frequency and grassland species on silage protein value 95
H. Steinshamn, S. Krizsan & L. Østrem
- Preliminary study. Effect of cultivated Red Seaweed on ruminal methane production and degradation *in vitro* 98
T. Stefanski, A. Demeter, H. Tydinger, M. Franco & M. Rinne
- Supplementation of *Asparagopsis taxiformis* for mitigation of enteric methane emissions in dairy cows: Feed Intake and milk yield responses 101
M. Angellotti, M. Lindberg, M. Ramin, S. Krizsan & R. Danielsson
- Does feeding *Asparagopsis taxiformis* to dairy cows reduce methane emission from their faeces? 104
M. Ramin, J. C. C. Chagas, Y. Pal & S. J. Krizsan

- Effects on rumen microbiome and milk quality of dairy cows supplemented the macroalgae *Asparagopsis taxiformis* in a grass silage-based diet 107
S. J. Krizsan, M. Ramin, J. C. C. Chagas, A. Halmemies-Beauchet-Filleau, A. Singh, A. Schnürer, & R. Danielsson
- Metagenomics analysis suggests disparity in rumen microbiome profiles of dairy cows fed with forest by-products 110
Y. Pal, T. Eriksson, H. Gonda, B.-O. Rustas
- Aspen wood or aspen bark as substitution for grass silage in dairy cow diets 113
T. Eriksson, B.O. Rustas, Y. Pal, M. Irfan & H. Gonda
- Effects of expander and extruder processed concentrate pellets with specific physical functional properties on in sacco rumen degradation 116
G. Qasim Khan, H. Li & E. Prestløkken
- Evaluation of *in vitro* digestibility of fungal biomass as a potential ruminant feed supplement 120
C. Uwinezaa, M. Bouzarjomehra, M. Parchamia, T. Sara, A. Mahboubi Soufiania & M. J. Taherzadeha
- Predicting daily dry matter intake using milk mid-infrared spectra data with different multivariate regression approaches in Swedish dairy cattle 123
S. Mohamad Salleh, R. Danielsson & C. Kronqvist
- A proposed structure of a model for optimizing forage harvest according to energy requirements of sheep in a forage dominant feeding system 126
J. Sveinbjörnsson
- Modelling the effects of feed distribution on the supply of animal products at national level in Finland 129
N. Ayanfe, M. Franco & M. Rinne
- Simulating the yield and nutritive value of whole crop barley 132
T. Persson, M. Höglind, J. Wallsten, E. Nadeau, X. Huang & B.- O. Rustas
- Screening of energy content of compound feeds using the new energy evaluation model in NorFor 135
C. Álvarez, M. Åkerlind, H. Martinussen, E. Brodshaug, D. Clausen & N. I. Nielsen
- Is the random variation among animals relevant to estimate in situ degradation rate of ruminant feeds? 138
A.S. Assunção, & E. Detmann
- Profitable dairy production in turbulent time from a European perspective 141
S. Bååth Jacobsson
- Defining a minimum time design to evaluate *in situ* dry matter degradation of tropical feeds 143
A.S. Assunção, & E. Detmann
- Variations in the procedures for quantification of crude ash in animal feeds 146
D.F. Quirino & E. Detmann

2024

Forage plants

- Utilizing forage crops more resistant to extreme weathers and an overall warmer climate – nutritional perspectives for the Northern Europe ruminant livestock sector
K.-H. Südekum 5
- Resilience of forages to drought in Nordic countries
D. Parsons, M. Lindberg, J. Oliveira, V. Picasso & M. Halling 12
- Forage nutritive value of dual-use populations of Kernza Intermediate wheatgrass
V. D. Picasso & K. Olugbenle 25

Methane emission

- Effects of two novel feed additives on enteric methane production of Nordic Red dairy cows
J. Vattulainen, A.R. Bayat, T. Stefanski, M. Rinne & I. Tapio 29
- The effect of the methane inhibitors nitrate and 3-NOP on enteric methane in dairy cow
J. Karlsson, C. Alvarez, M. Åkerlind & N. I. Nielsen 32
- Effect of dairy cows' yield index on the effect of enteric methane reducing dietary treatments
G. Giagnoni, M. Maigaard, W. Wang, M. Johansen, P. Lund & M.R. Weisbjerg 35
- Thirty years of intensive research to reduce methane emissions – what has been achieved?
P. Huhtanen 38
- Harvesting frequency, grassland species and silage additive affects in vitro methane production from silage
K.V. Weiby, S.J. Krizsan, I. Dønnem, L. Østrem, M. Eknæs & H. Steinshamn 45
- Milk and methane production from dairy cows fed grass silage of different grassland species and harvest frequencies
K. V. Weiby, M. Eknæs, A. Schwarm, H. Steinshamn, K. A. Beauchemin, P. Lund, I. Schei & I. Dønnem 48
- 3-NOP reduces methane emissions more when used in total mixed ration than in separate feeding
J. Vattulainen, I. Tapio, N. Ayanfe, M. Rinne & A.R. Bayat 51
- The effect of pelleted concentrate containing 3-NOP on methane emissions of dairy cows using separate vs. total mixed ration feeding
J. Vattulainen, S. Kajava, M. Heikkinen, M. Rinne & A. Sairanen 55
- Enteric methane emissions from Norwegian Red dairy cows fed compound feeds differing in the level of local ingredients
K.S. Eikanger, M. Eknæs, I.J. Karlengen, J.K. Sommerseth, I. Schei & A. Kidane 59
- Methane emissions in Icelandic dairy herds. Improved prediction of methane by utilizing available farm management data
J. Kristjánsson, J. Sveinbjörnsson, G. Gísladóttir, Þ. Sveinsson & J. Gísladóttir 62
- ## Ruminant nutrition
- Climate adaptation of dairy farms in northern climate: a Canadian perspective
É. Charbonneau, S. Binggeli, G. Jégo, M.-N. Thivierge, S. Delmotte & V. Ouellet 65
- When optimization goals for forage harvest in a forage dominant feeding system are not achieved – consequences and preventive measures
J. Sveinbjörnsson 73
- Effect of rapeseed products in diets and iodine supply to dairy cows on iodine concentration in milk – a field study in ten Swedish dairy herds
M. Åkerlind, A.H. Gustafsson, C. Lindahl & M. Karlsson 76

Effect of molybdenum in farm-grown feed and copper supply to dairy cows on copper concentration in milk, urine, faeces, hair and liver – a field study in 10 dairy herds <i>M. Åkerlind, I. Hansen, L. Stensson, T. Lundborg & C. Kronqvist</i>	79
Effect of particle size reduction by extrusion on intake and digestion of reed silage in dairy heifers <i>B.O. Rustas, H. Thelin & A. Kiessling</i>	82
Effects of silage particle size reduction on feed total tract retention time and magnesium absorption in dairy cows <i>S. Ali, B.O. Rustas & C. Kronqvist</i>	85
Effect of wilting and use of silage additive in grass silage on feed intake and milk production in Norwegian Red dairy cows <i>A. Kidane, M. Grøseth, L. Karlsson, H. Steinshamn, M. Johansen & E. Prestløkken</i>	88
Effect of restrictedly fermented grass silage on rumen metabolism and nitrogen utilisation <i>M. Grøseth, L. Karlsson, H. Steinshamn, M. Johansen, A. Kidane & E. Prestløkken</i>	91
Beef-on-dairy heifers grazing semi-natural grasslands can produce tender beef <i>A. H. Karlsson, F. F. Drachman, K. Wallin & M. Therkildsen</i>	94
Ruminal pH data analysis in lactating dairy cows fed with a SARA-inducing diet <i>Y. Shrestha, R. Danielsson, B-O. Rustas, S. Hägglund, J-F. Valarcher, T. Eriksson, M. Åkerlind & H. Gonda</i>	97
Conservation	
Effect of different additives and harvesting date on fermentation characteristics of maize silage <i>A. Milimonka, B. Hilgers, C. Schmidt & Y. Sun</i>	101
Field survey on the silage quality of Finnish farms <i>M. Franco, N. Ayanfe, A. Okkonen, A. Ellä & M. Rinne</i>	104
Effects of cultivars and additives on preservation quality and antinutritional factors of crimped ensiled faba bean seeds <i>N. Ayanfe, M. Franco & M. Rinne</i>	107
Grass for biorefinery: effect of additive treatment on fermentation quality of ensiled intact grass and pulp <i>N. Ayanfe, T. Stefański, T. Jalava & M. Rinne</i>	110
Examining the effect of silage inoculants containing only homo-fermentative or a combination of homo- and hetero-fermentative strains on fermentation of grass ensiled immediately after cutting or wilted for one day and rewetted by rain or one day wilted, rewetted by rain and wilted another day <i>I. Eisner, K. L. Witt & S. Ohl</i>	113
Vacuum storage of moist grain <i>M. Knicky & P. Mellin</i>	116
Miscellaneous	
Rate of NDF degradation from static measures <i>M.R. Weisbjerg & N.P. Hansen</i>	119
Residual weight loss of grass and grass-clover silages dried at 103°C after pre-drying at 60°C <i>N. B. Kristensen</i>	122
The use of feed in the Swedish livestock system <i>G. Rundgren</i>	125
Fish meal replacement with torula yeast (<i>Cyberlindnera jadinii</i>) and enzymatic treatment of the aquatic feed model can affect the flow resistance in the pelleting die and alter physical properties of the pellets <i>D.D. Miladinovic, C. Salas-Bringas, E.J. Mbuto, S. Pashupati & O.I. Lekang</i>	132

