

- In Kenya wetland coverage has declined from 40% of total land mass in 1960 to 3-4% today.
- This has led to lose of household livelihood and key environmental benefits and services they offer
- The current rate of wetland loss in the country is estimated to be 1050km2 per year, despite the comprehensive regulations to protect them.
- Creation of public awareness on conservation of wetlands and adoption of appropriate management strategies are better approaches to protect these important ecosystems

Background information

Wetlands comprise some of the world's most productive ecosystems and offer ecosystem services leading to countless benefits (Russi et al., 2013), ranging from climate change mitigation to food secu rity. However, the contributions they make to human well-being have often been overlooked or underappreciated. As a consequence, natural wetlands have declined worldwide both in area and quality (Gardner et al., 2015) and cover only a fraction of their original area (Gardner and Finlayson, 2018). Lack of appreciation of wetland values, their products, functions and attributes has led to conversion of wetlands for other purposes. About 50 % of the world's wetlands have been lost in the last century (Davidson, 2014).

What is the issue?

Numerous swamps are among the category of wetlands that have received little attention from environmentalists in Kenya. This is because they are small in size and therefore considered not important (Terer et al., 2012). Due to this, they are slowly disappearing and this has significantly contributed to loss of livelihood for communities depending directly or indirectly on the wetlands.

Currently, human impact on the wetlands in Uasin Gishu County is pronounced, potentially resulting in loss of all goods and services they offer. A study on selected swamps in the county (Figure 1) revealed relatively low conservation status (Figure 2) Mulei & Onkware (2018) and this was attributed to various factors (Figure 3). This calls for urgent action to safeguard and preserve the remaining ones.

In Kenya wetlands are estimated to cover 3-4% of the land mass (Kenya Wetlands Forum, 2012) compared to 40% in 1960 (Survey of Kenya, 1979). Although there are comprehensive regulations to protect these important ecosystems, there are emerging concerns on the alarming speed at which wetlands are disappearing in the country. Wetland loss in Kenya is estimated to be 1050km2 per year (Mironga, 2005), which is approximately three times faster than forests. Many wetlands in the country are on their death bed. Strict measures need to be put in place to prevent their continued degradation.




Figure 1: Uasin Gishu County Showing wetlands; Inset: Map of Kenya







Figure 2: Conservation status of the selected swamps in Uasin Gishu based on the Likert score.Likert scale score of 46 represented high conservation status.



Main barriers to wetland conservation in Uasin Gishu County





Lack of appropriate skills for sustainable utilization

Benefits of conserving wetlands

Sustainable utilization of the wetlands will continue to provide both direct and indirect benefits to the local community such as:

- * Provision of resources that can be harvested for personal as well as commercial use thus contributing to food security.
- * Improved water quality
- * Flood control
- * Pollution filter

Risks of losing or degrading wetlands

Unwise use of wetlands will have a negative impact on the ecological and socio-economic services they provide such as:

- * Loss of animal and plant biological diversity
- * Increased flooding
- * Deterioration of wetland water quality and reduction in water supply and water storage
- * Reduction in groundwater recharge, negatively impacting potential crop production
- * Loss of all other environmental and economic services they offer and this will partially increase food insecurity

Policy Recommendation

County Government

- Develop policies at county level to prevent further degradation of wetlands
- Map and list threatened wetlands in the county
- Identify important wetlands to be designated as watersheds
- Create public awareness on conservation of wetlands
- * Put in place a comprehensive monitoring programme and appropriate management strategy.

Community

- Adopt alternative uses of wetlands through:
 - o Exploitation of the papyrus industry o Aquaculture (e.g. cray fish farming)
- Practice wetland edge farming with minimum impact on ecological functions and services;



Acknowledgements

Preparation of this Policy Brief was supported and financed by AgriFose 2030 Programme and The International Livestock Research Institute (ILRI) with financial support from the Swedish International Developement Agency (SIDA). I wish to thank Dr. Geraldine Matolla for her valuable technical input. I also want to thank Reuben Atetwe for doing the Graphics part of the document.

References

Davidson, N. C. (2014). How much wetland has the world lost? Long-term and recent trends in global wetland area. Marine and Freshwater Research, 65(10), 934-941. http://dx. Environmental Research 3:81-91. doi.org/10.1071/MF14173.

Gardner, R. C., Barchiesi, S., Beltrame, C., Finlayson, C. M., Galewski, T., Harrison, I., Paganini, M., Perennou, C., Pritchard, D. E, Rosenqvist, A. and Walpole, M. (2015). State of the world's wetlandsand their services to people. A compilation 2018 of recent analyses. Ramsar briefing Note no. &. Gland, Switzerland: Ramsar Convention Secretariat.

Gardner R. C. and Finlayson, C. M. (2018). Ramsar Conventi on on Wetlands. Global Wetland Outlook: State Of The World's Wetlands and their services to People. Gland, SwitzerFörster, J., Kumar, R., & Davidson, N. (2013). The Economics land: Ramsar Convention Secretariat.

Kenya Wetlands Forum (2012) Why conserve wetlands? http: Policy; Gland: Ramsar Secretariat. //kenyawetlandsforum.org/index.php?option=com_content &view=article&id=1:welcome-to-kenya-wetlands-forum (Accessed on May 14, 2012)

Magero, C. and Torto, O. (2017). Sustainable use of papyrus swamp saves wetlands and boosts income. Birdlife international, Africa

Mironga, J. M. (2005). Effects of farming practices on wetlands of Kisii County, Kenya. Applied Ecology and

Mulei, J. M. and Onkware, A. O. (2018). Conservation Status of Swamp Wetlands in Uasin Gishu County, Kenya. Africa

Environmental review Journal Volume 3, Issue 1, pp. 74-81,

Survey of Kenya (1979). Ngeleshi 1:50,000 Topographic Maps. Survey of Kenya, Nairobi.

Russi, D., ten Brink, P., Farmer, A., Badura, T., Coates, D., of Ecosystems and Biodiversity for Water and Wetlands. London and Brussels: Institute for European Environmental

Terer, T., Muasya, A. M., Dahdouh-Guebas, F., Ndiritu, G. G. and Triest, L. (2012). Integrating local ecological knowledge and management practices of an isolated semiarid papyrus

Contact Address Josphine M. Mulei **University Of Eldoret** Email: josphinemumbe@gmail.com



AariFoSe2030









